

M/035/002

*Confidential*  
*Incoming*  
*epiruel*  
*05/08*

**From:** "Peacey, Victoria (KUCC)" <peaceyv@kennecott.com>  
**To:** "Beth Ericksen" <bethericksen@utah.gov>, "Tom Munson" <TOMMUNSON@utah.gov>  
**Date:** 1/30/2008 10:33 PM  
**Subject:** Discussion - NOV Resolution and Code 22

**CC:** "Kaiser, Chris (KUCC)" <kaiserc@kennecott.com>, "McGowan-Jackson, Rohan ...  
Beth, Tom and Daron,

Thanks for working through some addition items with Chris and I on KUC's January proposal for resolution of the NOV. As agreed, KUC will provide the following within Attachment 1:

- \* Additional descriptive language relating to improvements to the trenches and check dams above the cutoff wall in Yosemite
- \* Provide engineering drawings, schematic and typical design drawing/cross-section of the existing storm water and sediment collection system (although these drawings are outdated, updates will be submitted by August 2008)

\* These drawings will be submitted as an Appendix to the 2003 Reclamation Plan

- \* DOGM will send an example of a typical design drawing / cross-section from another plan on file

Separate from the NOV, KUC will also provide a response to Beth's inspection report for the Code 22 waste rock dump including:

- \* A discussion on why Code 22 did not contribute to the July 27, 2007 event
- \* A summary of existing dump monitoring and inspections
- \* A summary of the geotechnical assessment and Code 22 dump design prior to placement

Thanks,

Vicky

0003

500/250/M.

Pandy,

How many inspections were done in the last 6 mos?

(Penny)

Can we work on establishing the 'N' number?

(~~Pandy~~)  
Penny

**THIS DOCUMENT**  
**IS**  
**"CONFIDENTIAL"**

INCOMING DATE- 01/30/08

OUTGOING DATE-

FROM: Deacy, Victoria (Email)

TO: Beth Eriksen

SUBJECT: Discussion - WAK Resolution & Code 22  
1 page

Confidential  
40 170350002/2008/incoming/0005. pdf

*Eppirell*  
*05/08*